



**SLID'UP**  
BY MANTION


INSTRUCTIONS DE MONTAGE  
ASSEMBLY INSTRUCTIONS

**SU2200**

Epaisseur de porte / Door thickness: 1-3/8" & 1-3/4"


Largeur de porte / Door width: 30, 32, 34, 36 & 38"




Hauteur de porte / Door height: 6ft 8" to 8ft



Rail démontable  
Removable track

**120**  
lbs






H = Hauteur de la porte + 6-1/4" [160 mm]  
H = Height of the door + 6-1/4" [160 mm]


| Porte<br>Door | L   |      |
|---------------|-----|------|
|               | in  | mm   |
| 30"           | 58" | 1473 |
| 32"           | 62" | 1575 |
| 34"           | 66" | 1677 |
| 36"           | 70" | 1778 |
| 38"           | 74" | 1880 |




1.




2.




### 3.a






### 3.b






### 3.c




### 4.a




### 4.b




5.




6.




c)




d)






**8.a**




**8.b**




**9.**

**x2**




**10.**

**x2**




**11. OPTION: SU9810**



# SUGGESTION pour l'encadrement de la baie

# SUGGESTION for the finish ot the opening



Suggestion of inside trim

Suggestion of inside trim

Suggestion de tapée avec joint SU2214

Suggestion of strike finishing jamb with SU2214 seal

